TPW PALLET TRUCK SCALES > LOGISTICS WEIGHING Sim later

Main available models



Main advantages:

Useful

· To weigh quickly, directly where it is necessary, reducing time, repeated loading and unloading manouevres, and possible errors.

Simple

• It is used as a classic pallet truck allowing to weigh with accuracy, print, and transmit all the necessary information.

Practical

• The weight indication is clear, easily readable, and the keys are large and intuitive.

Precise

• Weighs with a sensitivity of 100g and with a precision of +/- 0.05% of the capacity.

Sturdy

- It is able to lift and weigh up to 2000/2500kg.
- Structure in standardised steel for EUROPALLETS.
- Electronic parts well protected from knocks, rain, water sprays or dust.















"EXCEL" weighing list > 1.000.000 DATA

	TPWN08	TPWL08	TPWA	TPWE	TPW PRO	TPWI	TPWX2GD	TPWX3GD
Weight display	•	•	•	•	•	•	•	•
Piece counting	•	•	•	•	•	•	•	•
Order picking	-	-	-	•	-	-	-	-
Simple dosages	-	-	-	•	•	•	•	•
CE-M approval	-	0	0	0	0	0	0	0
IP68 stainless steel	-	-	-	-	-	•	-	-
ATEX for GASES (Zones 1 and 21)	-	-	-	-	-	-	•	-
ATEX for DUSTS (Zones 2 and 22)	-	-	-	-	-	-	•	•
Attached thermal printer	-	0	0	0	0	0	-	-
Weighs list in .csv (Excel)	-	-	0	0	0	-	-	-
Alibi memory	-	0	0	0	0	0	0	0
868MHz radio frequency	-	0	0	0	0	-	-	-
Remote printer or labeller	-	0	0	0	0	-	-	-
Remote repeater	-	0	0	0	0	-	-	-
WiFi connection to the Host network	-	0	0	0	0	0	-	-
Bluetooth connection	-	-	0	-	0	-	-	-
Power supply with 4 AA batteries	•	-	-	-	-	-	-	-
Rechargeable battery	-	•	•	•	•	•	•	•
Battery Pack for 24/7 continuous use	-	0	0	0	0	-	0	0
Battery life in weeks(*) / nr. of weighs	5/360	16/1200	18/1350	12/900	16/1200	16/1200	60/4500	16/1200

• Standard fitted O Upon request (*) Considering 15 weighs a day



Bluetooth

868 MHz Radio Frequency

Rechargeable battery

Dini Argeo offers:

- Great competence and experience.
- · Qualified and specialised technical support.
- · Training courses upon request.
- Customisation of the products according to the customer's specifications.
- Study and certification of systems for ATEX hazardous zones.
- Periodic verification of the calibration and metric inspection services, as quality guarantee.
- Two years of warranty for the products.

The range of Dini Argeo products includes also:









Visit our web site www.diniargeo.com for:

- Complete documentation
- Configuration software
- Technical support



ISO 9001: 2000

DINI ARGEO S.R.L. Head Office

Via della Fisica, 20 41042 Spezzano di Fiorano Modena - ITALY Tel. +39 0536 843418 Fax +39 0536 843521 info@diniargeo.com

DINI ARGEO SERVICE

Via dell'Elettronica, 15 41042 Spezzano di Fiorano Modena - ITALY Tel. +39 0536 921784 Fax +39 0536 926654 service@diniargeo.com

SALES AND TECHNICAL ASSISTANCE SERVICE

DINI ARGEO SHANGHAI LTD DINI ARGEO FRANCE SARL

ASSISTANCE

Nogent-sur-Marne - FRANCE info.fr@diniargeo.com

DINI ARGEO GMBH

Sinsheim - GERMANY info.de@diniargeo.com

Shanghai - CHINA info.cn@diniargeo.com

DINI ARGEO WEIGHBRIDGES

Calto (RO) - ITALY sales@diniargeo.com

www.diniargeo.com